



KING INTERNATIONAL



The brand you can rely on....

www.king-international.in / www.king-international.com



KING INTERNATIONAL



www.king-international.com



+91 9811855336



@kinginternational7

C-38 WAZIRPUR INDUSTRIAL AREA,
DELHI, INDIA 110052



TOPE

Size	Edge to Edge (Inches)	Inner Diameter (Inches)	Height (Inches)	Water Capacity (Ltrs.)	Light	Medium	Heavy	Lid
					18G	13G		19G
10	6.50	5.50	3.25	1.00	0.125	0.250		0.060
11	7.00	6.00	3.50	1.25	0.150	0.300		0.070
12	7.75	6.50	3.75	1.60	0.200	0.400		0.080
13	8.25	7.00	4.00	2.00	0.250	0.500		0.090
14	8.75	7.50	4.25	2.50	0.275	0.550		0.100
15	9.25	8.00	4.50	3.25	0.300	0.600		0.120
16	9.75	8.50	4.75	4.00	0.350	0.750		0.160
17	10.25	9.00	5.00	4.75	0.400	0.850		0.190
18	11.00	9.50	5.25	5.50	0.450	0.950		0.210
Total					2.500	5.150		1.080
					18G	13G	10G	19G
19	11.50	10.00	5.75	7.00	0.500	1.000	1.500	0.220
20	12.00	10.50	6.00	8.00	0.550	1.100	1.700	0.230
21	12.50	11.00	6.25	9.25	0.600	1.300	1.900	0.240
22	13.00	11.50	6.50	10.50	0.650	1.400	2.000	0.260
23	13.50	12.00	6.75	12.00	0.750	1.600	2.100	0.270
24	14.00	12.50	7.00	13.50	0.800	1.800	2.300	0.290
Total					3.850	8.200	11.500	1.510
					17G	13G	10G	19G
25	14.50	13.00	7.25	15.25	1.100	1.900	2.500	0.320
26	15.00	13.50	7.50	17.00	1.150	2.150	2.750	0.340
27	15.50	14.00	7.75	19.00	1.300	2.300	2.900	0.360
28	16.00	14.50	8.00	21.00	1.400	2.400	3.200	0.380
Total					4.950	8.750	11.350	1.400
					13G	9G	16G	
29	17.00	15.00	8.50	22.50		2.500	3.300	0.750
30	17.50	15.50	8.75	25.00		2.850	3.750	0.800
31	18.00	16.00	9.00	27.50		2.900	4.200	0.850
32	18.50	16.50	9.25	30.50		3.300	4.450	0.900
33	19.00	17.00	9.50	33.50		3.400	4.600	0.950
34	19.50	17.50	9.75	36.50		3.700	4.800	0.970
35	20.00	18.00	10.00	39.50		3.900	4.850	1.000
36	20.50	18.50	10.25	43.00		4.200	5.500	1.100
Total						26.750	35.450	7.320
					12G	10G	6G	15G
38	22.00	19.50	11.00	51.00	4.500	5.500	7.800	1.400
40	23.00	20.50	11.50	59.00	5.000	6.200	8.400	1.500
42	24.00	21.50	12.00	68.00	5.500	6.500	9.400	1.600
Total					15.000	18.200	25.600	4.500
					12G	10G	6G	15G
44	25.00	22.50	12.50	78.00	6.600	7.000	9.550	1.700
46	26.00	23.50	13.00	89.00	6.400	7.600	11.500	1.900
48	27.00	24.50	13.50	100.11	6.800	8.400	12.500	2.000
50	28.00	25.50	14.00	113.00	7.500	9.200	13.600	2.250
Total					26.700	32.200	47.150	7.850
					12G	10G	5G	14G
52	29.50	26.50	15.00	130.00	8.300	10.000	15.700	2.700
54	30.50	27.50	15.50	145.00	8.700	10.700	17.000	3.000
56	31.50	28.50	16.00	163.00	9.500	11.600	18.200	3.400
58	32.50	29.50	16.50	180.00	10.000	12.000	19.200	3.600
60	33.50	30.50	16.75	195.00	10.500	13.000	20.400	3.800
Total					47.000	57.300	90.500	16.500
62	34.50	31.50	17.25	210.00		14.000	25.000	3.300
64	35.50	32.50	18.00	225.00		15.250	27.500	3.700
66	36.50	33.50	18.25	240.00		16.500	29.000	4.000
68	37.50	34.50	19.00	260.00		17.250	30.000	4.250
70	38.50	35.50	19.50	300.00		18.500	33.500	4.700
Total						81.500	145.000	19.950



Handles

1.



2.



3.





TUB



Size	Bottom Dia (Inches)	Top Dia (Inches)	Height (Inches)	Weight (Kgs.)
36	14	18	8.0	3.200
38	15	19	9.5	3.500
40	16	20	10.5	3.700
42	17	21	10.5	3.900
44	18	22	11.5	4.200
46	19	23	11.5	4.500
48	20	24	11.5	5.000
50	21	25	12.0	5.300
54	23	27	14.5	7.000
60	26	30	18	10.000

PARANT



Size	Bottom Dia (Inches)	Top Dia (Inches)	Height (Inches)	Weight (Kgs.)
26	16.5	20.0	3.50	1.700
28	19.5	23.0	3.50	2.000
30	21.0	24.5	3.50	2.500
32	22.0	26.0	3.50	2.700
34	24.0	28.0	3.50	3.000
36	25.0	30.0	3.75	3.700
38	28.0	32.0	4.00	4.500
40	29.0	34.0	4.10	5.000
42	31.5	36.0	4.00	7.000
44	34.5	38.0	4.50	7.500
46	38.0	40.0	4.50	8.000

STEAMER



Size	Bottom Dia Inches	Weight Kgs.	Water Capacity Ltrs.
1	8	1.300	2.300
2	9	1.750	3.000
3	10	1.900	3.650
4	11	2.150	4.750
5	12	2.750	6.000
6	13	2.950	7.750
7	14	4.750	10.000
8	15	6.000	12.000
9	18	9.0000	18.000
10	20	12.000	25.000
11	24	22.000	

MADURAI TOPE

Size	Edge to Edge (Inches)	Inner Diameter (Inches)	Height (Inches)	Water Capacity (Ltrs.)	Weight	Lid
30	17.50	15.50	8.75	25.00	3.750	0.060
32	18.50	16.50	9.25	30.50	4.450	0.900
34	19.50	17.50	9.75	36.50	4.850	0.970
36	20.50	18.50	10.25	43.00	5.500	1.100
		Total			18.550	3.030
38	22.00	19.50	11.00	51.00	7.800	1.400
40	23.00	20.50	11.50	59.00	8.400	1.500
42	24.00	21.50	12.00	68.00	9.400	1.600
		Total			25.600	4.500
44	25.00	22.50	12.50	78.00	9.550	1.700
46	26.00	23.50	13.00	89.00	11.500	1.900
48	27.00	24.50	13.50	100.11	12.500	2.000
50	28.00	25.50	14.00	113.00	13.600	2.250
		Total			47.150	7.850



BONTON

Size	Outer Dia mm	Weight (Kgs.)	Cover Wt. (Kgs)
1	160	0.850	0.160
2	180	1.000	0.200
3	200	1.150	0.220
4	220	1.300	0.270
5	240	1.500	0.300
6	260	1.700	0.350
7	280	2.050	0.400

Size	Outer Dia mm	Weight (Kgs.)	Cover Wt. (Kgs)
8	300	2.400	0.500
9	320	2.650	0.550
10	340	3.100	0.600
11	360	3.200	0.650
12	380	3.850	0.700
13	400	4.200	0.850
14	450	5.500	0.950
15	500	6.700	1.150

KETTLE

Size	Weight	Capacity (in Litres)	SWG	Bottom Dia (inches)	Height (Without Handle) inches	Mouth Dia Inner Dia inches	Spoute Joint
12	0.540	1.500	17	5.5	5	3	Aluminium Welding
14	0.730	2.500	17	6.5	5.5	3.7	Aluminium Welding
16	0.850	3.500	17	7.5	6.3	4	Aluminium Welding
18	1.050	5.000	17	8.5	7	4.7	Aluminium Welding
20	1.120	7.250	17	9.5	7.7	5.1	Aluminium Welding
22	1.600	10.000	17	10.5	8.5	6.1	Aluminium Welding
24	1.800	12.500	17	11.5	9.5	6.5	Aluminium Welding



POLISHED KADHAI

No	Kadhahi Weight	Cover Weight	Inner Dia	Outer Dia	Height	Water Capacity
1	0.750	0.180	7.20	7.4	3	1.740
2	0.900	0.220	8.20	8.5	3	2.400
3	1.050	0.260	9.30	9.5	3.2	3.220
4	1.200	0.280	10.2	10.4	3.7	4.340
5	1.400	0.320	11.1	11.3	4.1	5.680
6	1.650	0.480	12.2	12.4	4.3	6.560
7	1.800	0.540	13.2	13.4	4.5	8.740
Total	8.750	2.280				

Note : Different Handle Shapes & Types also available.
Flat Bottom Kadhahi with same specifications available.



MATHAR KADHAI

No	Kadhahi Weight	Cover Weight	Inner Dia	Outer Dia	Height	Water Capacity
1	0.750	0.180	7.20	7.4	3	1.740
2	0.900	0.220	8.20	8.5	3	2.400
3	1.050	0.260	9.30	9.5	3.2	3.220
4	1.200	0.280	10.2	10.4	3.7	4.340
5	1.400	0.320	11.1	11.3	4.1	5.680
6	1.650	0.480	12.2	12.4	4.3	6.560
7	1.800	0.540	13.2	13.4	4.5	8.740
Total	8.750	2.280				



FRYPAN

Size	Dia (Inches)	Weight	LID
1	7.50	600 gm	0.150
2	8.50	720 gm	0.200
3	9.50	780 gm	0.225





SAUCE PAN

Size	Dia (Inches)	Weight	LID
1	7.00	620 gm	0.150
.2	7.50	660 gm	0.160
3	8.30	700 gm	0.170
4	8.80	820 gm	0.190



OMELETTE PAN

Size	Dia (Inches)	Weight	LID
1	7.50	580 gm	0.150
.2	8.50	680 gm	0.200
3	9.30	840 gm	0.225

MILK PAN

Size	Dia (Inches)	Weight gms
1	5.5	0.450
2	6	0.550
3	7	0.700



POLISH TOPE

Size	Edge to Edge (Inches)	Inner Diameter (Inches)	Height (Inches)	Water Capacity (Ltrs.)	Weight		Lid
					Medium	Heavy	
					13G	10G	19G
10	6.50	5.50	3.25	1.00	0.250	0.350	0.060
11	7.00	6.00	3.50	1.25	0.300	0.550	0.070
12	7.75	6.50	3.75	1.360	0.400	0.600	0.080
13	8.25	7.00	4.00	2.00	0.500	0.650	0.090
14	8.75	7.50	4.25	2.50	0.550	0.700	0.100
15	9.25	8.00	4.50	3.25	0.600	0.850	0.120
16	9.75	8.50	4.75	4.00	0.750	1.000	0.160
17	10.25	9.00	5.00	4.75	0.850	1.100	0.190
18	11.00	9.50	5.25	5.50	0.950	1.250	0.210
		Total			5.150	7.050	1.080
19	11.50	10.00	5.75	7.00	1.000	1.500	0.220
20	12.00	10.50	6.00	8.00	1.100	1.700	0.230
21	12.50	11.00	6.25	9.25	1.300	1.900	0.240
22	13.00	11.50	6.50	10.50	1.400	2.00	0.260
23	13.50	12.00	6.75	12.00	1.600	2.100	0.270
24	14.00	12.50	7.00	13.50	1.800	2.300	0.290
		Total			8.200	11.500	1.510



MATHAR TOPE (POLISH)

Size	Edge to Edge (Inches)	Inner Diameter (Inches)	Height (Inches)	Water Capacity (Ltrs.)	Weight		Lid
					Medium	Heavy	
					13G	10G	19G
10	6.50	5.50	3.25	1.00	0.250	0.350	0.060
11	7.00	6.00	3.50	1.25	0.300	0.550	0.070
12	7.75	6.50	3.75	1.360	0.400	0.600	0.080
13	8.25	7.00	4.00	2.00	0.500	0.650	0.090
14	8.75	7.50	4.25	2.50	0.550	0.700	0.100
15	9.25	8.00	4.50	3.25	0.600	0.850	0.120
16	9.75	8.50	4.75	4.00	0.750	1.000	0.160
17	10.25	9.00	5.00	4.75	0.850	1.100	0.190
18	11.00	9.50	5.25	5.50	0.950	1.250	0.210
		Total			5.150	7.050	1.080
19	11.50	10.00	5.75	7.00	1.000	1.500	0.220
20	12.00	10.50	6.00	8.00	1.100	1.700	0.230
21	12.50	11.00	6.25	9.25	1.300	1.900	0.240
22	13.00	11.50	6.50	10.50	1.400	2.00	0.260
23	13.50	12.00	6.75	12.00	1.600	2.100	0.270
24	14.00	12.50	7.00	13.50	1.800	2.300	0.290
		Total			8.200	11.500	1.510



SIPRI

No	Inner Dia Inches	Outer Dia Inches	Height	Weight
1	6	7.5	3.5	0.650
2	7	8.5	4	0.850
3	8	9.5	4.5	1.100
4	9	10.5	5.5	1.300
5	10	11.5	6.5	1.700





DELUXE BALTI

Size	Dia (Inches)	Height (Inches)	Weight (Kgs.)	Capacity (Ltrs.)
20	10.0	9.25	0.750	8.5
22	10.7	10.5	0.900	11.0
24	12.0	11.5	1.000	15.0
26	13.0	12.25	1.500	20.0
28	14.5	13.00	1.700	25.0
32	16.5	15.00	2.200	30.0

DELUXE PENDI BALTI

Size	Dia (Inches)	Height (Inches)	Weight (Kgs.)	Capacity (Ltrs.)
20	10.0	9.5	0.800	8.5
22	11.0	10.5	1.000	11.0
24	12.0	11.5	1.200	15.0
26	13.2	12.5	1.500	20.0
28	14.5	12.5	1.700	25.0



SIMPLE BALTI

Size	Dia (Inches)	Height (Inches)	Weight (Kgs.)	Capacity (Ltrs.)
16	8.5	8.5	0.500	4.0
18	9.5	9.7	0.700	6.0
20	10.5	10.5	0.850	8.5
22	11.5	11.7	1.000	11.0
24	12.5	13.0	1.250	15.0
26	14.0	14.0	1.500	20.0
28	14.5	16.25	1.800	25.0



MATHAR TOPE

is available in All Sizes
&
Dimensions as that in Tope

DISCO MATHAR TOPE

is available in All Sizes
&
Dimensions as that in Tope



BARFI TRAY

Size	Width (Inches)	Outer Length (Inches)	Depth (Inches)	Weight
Large	16	22	1½	1.300
Medium	16	20	1½	1.100

DEEP TRAY

Size	Outer Length (Inches)	Width (Inches)	Depth (Inches)	Capacity (Ltrs.)	Weight (gms)
Large	17	13	2¾	7	900
Medium	15	11	2½	5	700
Small	12	8½	2¼	3	500



DEGDA / BIRYANI CHAMBU



Size	Outer Dia (Inches)	Inner Dia (Inches)	Bottom Dia (Inches)	Rice Capacity (Kgs.)	Weight Per Pc. (Kgs.)	Lid Weight (Kgs.)
14	18.0	14.00	24.00	12.000	13.000	1.000
15	19.0	15.00	26.00	15.000	15.000	1.250
16	20.0	16.00	28.00	18.000	15.500	1.700
17	21.0	17.00	30.00	22.000	18.000	1.800
18	22.5	18.00	32.00	26.000	20.200	2.000
19	23.5	19.00	34.00	30.000	22.500	2.200
20	25.0	20.00	36.00	35.000	25.200	2.400
21	26.0	21.00	38.00	40.000	28.500	2.600
22	27.0	22.00	40.00	48.000	31.700	2.800
23	28.5	23.00	42.00	55.000	34.500	3.000
24	29.5	24.00	44.00	65.000	37.400	3.200
25	31.0	25.00	46.00	75.000	39.700	3.500
26	32.0	26.00	48.00	90.000	42.000	3.800

RICE STAINER / BOYA



Size	Bottom Dia (Inches)	Top Dia (Inches)	Height (Inches)	Weight (Kgs.)
36	14	18	8.0	3.200
38	15	19	9.5	3.500
40	16	20	10.5	3.700
42	17	21	10.5	3.900
44	18	22	11.5	4.200
46	19	23	11.5	4.500
48	20	24	11.5	5.000
50	21	25	12.0	5.300



CASSEROLE LIGHT

Size	Bottom Dia (Inches)	Top Dia (Inches)	Height (Inches)	Weight (Kgs.)
17	17	17.50	4.50	0.600
19	19	19.50	5.00	0.800

GAUGE CONVERSIONS

3G		6.30mm
4G		5.80mm
6G		4.90mm
8G		4.00mm
10G		3.20mm
12G		2.60mm
14G		2.00mm
15G		1.90mm
16G		1.60mm
17G		1.40mm
18G		1.20mm
19G		1.00mm
20G		0.90mm

METRIC CONVERSIONS

1 inch = 2.54cm = 25.40mm

1 Kg. = 2.205 Lbs

LIQUID CONVERSIONS

1 Ltr. = 1.10 Quarts

1 Quarts = 2.00 Pints



www.king-international.com



+91 9811855336



@kinginternational7

C-38 WAZIRPUR INDUSTRIAL AREA,
DELHI, INDIA 110052